

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/08/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15G721	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R 04/30/2014
NAME OF PROVIDER OR SUPPLIER AWS			STREET ADDRESS, CITY, STATE, ZIP CODE 6835 W CR 950 N SCIPIO, IN 47273		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
{W 000}	<p>INITIAL COMMENTS</p> <p>This visit was for a PCR/Post Certification Revisit to the annual fundamental recertification and state licensure survey completed on March 7, 2014.</p> <p>This survey was done in conjunction with the investigation of complaint #IN00147413.</p> <p>Survey Dates: April 29 and 30, 2014.</p> <p>Facility Number: 004492 Provider Number: 15G721 AIM Number: 200512660</p> <p>Surveyor: Dotty Walton, QIDP.</p> <p>AWS was found to be in compliance with 42 CFR, part 483, subpart I and 460 IAC 9 regarding the PCR to the recertification and state licensure survey.</p> <p>Quality Review completed 5/7/14 by Ruth Shackelford, QIDP.</p>	{W 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.